

Package: eppicenter.tools (via r-universe)

June 16, 2024

Title An Amazing Shiny App

Version 0.0.0.9000

Description What the package does (one paragraph).

License What license is it under?

Imports config (>= 0.3.2), golem (>= 0.4.1), shiny (>= 1.8.1.1)

Encoding UTF-8

LazyData true

RoxygenNote 7.1.1

Repository <https://m-murphy.r-universe.dev>

RemoteUrl <https://github.com/m-murphy/eppicenter.tools>

RemoteRef HEAD

RemoteSha 6a74de0b85e1040035c61eed6e9a18c39a827db2

Contents

run_app	1
Index	3

run_app	<i>Run the Shiny Application</i>
---------	----------------------------------

Description

Run the Shiny Application

Usage

```
run_app(  
  onStart = NULL,  
  options = list(),  
  enableBookmarking = NULL,  
  uiPattern = "/",  
  ...  
)
```

Arguments

onStart	A function that will be called before the app is actually run. This is only needed for shinyAppObj, since in the shinyAppDir case, a global.R file can be used for this purpose.
options	Named options that should be passed to the runApp call (these can be any of the following: "port", "launch.browser", "host", "quiet", "display.mode" and "test.mode"). You can also specify width and height parameters which provide a hint to the embedding environment about the ideal height/width for the app.
enableBookmarking	Can be one of "url", "server", or "disable". The default value, NULL, will respect the setting from any previous calls to enableBookmarking() . See enableBookmarking() for more information on bookmarking your app.
uiPattern	A regular expression that will be applied to each GET request to determine whether the ui should be used to handle the request. Note that the entire request path must match the regular expression in order for the match to be considered successful.
...	arguments to pass to golem_opts. See <code>'?golem::get_golem_options'</code> for more details.

Index

`enableBookmarking()`, [2](#)

`run_app`, [1](#)